



Sleek and elegant design combined with full flexibility helps to create better spaces

SlimBalance

SlimBalance is a full range of product family with sleek and elegant design helps to create attractive and differentiated space for customers. The family covers different length (600mm, 1200mm, 1500mm), different end cap (round, square) and different light distribution (direct, indirect). Its office compliant version delivers comfortable light with good quality.

Benefits

- Create attractive/differentiated space
- Complete solution covering different mounting requirements, lengths, end cap including corners
- Good light quality
- Office compliant, Comfortable light

Features

- Sleek and elegant design
- Modular design offers uniform aesthetic for full family
- CRI > 80, SDCM < 4, Flicker free
- UGR 19 available

Application


- Open office
- Cell office
- Public area
- Meeting rooms

SlimBalance

Warnings and Safety

- The product is IPX0 & as such is not protected against water ingress and as such we strongly recommend that the environment in which the luminaire is to be installed is suitably checked
- If the above advice is not taken and the luminaires are subject to water ingress, Philips/Signify cannot guarantee safe failure and product warranty will become void

Versions



SlimBalance Standalone L120 L150

SlimBalance Standalone L60

SlimBalance Continuous

SlimBalance Standalone L120 L150

Application Conditions

Ambient temperature range -20 to +40 °C

Approval and Application

Mech. impact protection code IK03

Ingress protection code IP20

Operating and Electrical

Input Voltage 220/240 V

General Information

Beam angle of light source - °

CE mark CE mark

Protection class IEC Safety class I (I)

Driver included Yes

ENEC mark -

Flammability mark NO

Glow-wire test 650/30

Light source replaceable No

Number of gear units 1 unit

Optic type WB

Initial Performance (IEC Compliant)

Init. Colour rendering index >80

Luminous flux tolerance +/-10%

Mechanical and Housing

Colour Silver

Application Conditions

| Order Code | Full Product Name | Maximum dimming level |
|--------------|------------------------------------|-----------------------|
| 911401519241 | SP550P LED25S 840 L120 PSU SD | Not applicable |
| 911401519941 | SP551P LED45S 840 L120 PSU SI | Not applicable |
| 911401521241 | SP551P LED40S 840 L120 PSD SD | 1% |
| 911401521841 | SP551P LED45S 840 L120 PSD SI | 1% |
| 911401529041 | SP551P LED40S 840 L120 PSD SD SQ | 1% |
| 911401529141 | SP551P LED45S 840 L120 PSU SI SQ | Not applicable |
| 911401529241 | SP550P LED25S 840 L120 PSD SD SQ | 1% |
| 911401529441 | SP551P LED45S 840 L120 PSD SI SQ | 1% |
| 911401519541 | SP551P LED20S 840 L60 PSU SD | Not applicable |
| 911401523941 | SP551P LED20S 840 L60 PSU SD GM | Not applicable |
| 911401528341 | SP551P LED20S 840 L60 PSU SD SQ | Not applicable |
| 911401530141 | SP550P LED20S 840 L60 PSU SD GM SQ | Not applicable |
| 911401530341 | SP551P LED20S 840 L60 PSU SD GM SQ | Not applicable |
| 911401533041 | SP550P LED20S 840 L60 PSU SD GM | Not applicable |
| 911401519641 | SP550P LED25S 840 L120 PSU CD | Not applicable |
| 911401519741 | SP550P LED12S 840 L60 PSU CD | Not applicable |
| 911401520041 | SP550P LED28S 840 L120 PSU CI | Not applicable |
| 911401520541 | SM550C LED25S 840 L120 PSU CD | Not applicable |
| 911401520641 | SM550C LED12S 840 L60 PSU CD | Not applicable |
| 911401521541 | SP550P LED25S 840 L120 PSD CD | 1% |
| 911401521941 | SP550P LED28S 840 L120 PSD CI | 1% |
| 911401522441 | SM550C LED25S 840 L120 PSD CD | 1% |
| 911401522641 | SM550C LED20S 840 L60 PSU CD GM | Not applicable |
| 911401523641 | RC550B LED40S 840 L120 PSU CD GM | Not applicable |
| 911401523741 | RC550B LED40S 865 L120 PSU CD GM | Not applicable |
| 911401523841 | SP550P LED20S 840 L60 PSU CD GM | Not applicable |
| 911401524641 | SP550P LED40S 840 L120 PSU CD GM | Not applicable |
| 911401524741 | SP550P LED40S 865 L120 PSU CD GM | Not applicable |
| 911401524841 | SP550P LED40S 840 L120 PSD CD GM | 1% |

| Order Code | Full Product Name | Maximum dimming level |
|--------------|-------------------------------------|-----------------------|
| 911401524941 | SP550P LED40S 865 L120 PSD CD GM | 1% |
| 911401525441 | SM550C LED40S 840 L120 PSD CD GM | 1% |
| 911401522841 | SM551C LED40S 840 L120 PSD SD GM | 1% |
| 911401524141 | SP550P LED40S 840 L120 PSU SD GM | Not applicable |
| 911401524241 | SP550P LED40S 865 L120 PSU SD GM | Not applicable |
| 911401524341 | SP550P LED40S 840 L120 PSD SD GM | 1% |
| 911401524441 | SP550P LED40S 865 L120 PSD SD GM | 1% |
| 911401524541 | SP551P LED40S 840 L120 PSD SD GM | 1% |
| 911401525041 | SP550P LED40S 840 L150 PSU SD GM | Not applicable |
| 911401525141 | SP550P LED40S 840 L150 PSD SD GM | 1% |
| 911401525241 | SP551P LED45S 840 L120 PSU SI GM | Not applicable |
| 911401525341 | SP551P LED45S 840 L120 PSD SI GM | 1% |
| 911401525541 | SM550C LED40S 840 L120 PSD SD GM | 1% |
| 911401530241 | SP550P LED40S 840 L120 PSU SD GM SQ | Not applicable |
| 911401530541 | SP550P LED40S 840 L120 PSD SD GM SQ | 1% |
| 911401530641 | SP550P LED40S 865 L120 PSU SD GM SQ | Not applicable |
| 911401530741 | SP550P LED40S 840 L150 PSD SD GM SQ | 1% |
| 911401530841 | SP551P LED45S 840 L120 PSD SI GM SQ | 1% |
| 911401530941 | SP551P LED40S 840 L120 PSD SD GM SQ | 1% |
| 911401531041 | SP550P LED40S 840 L150 PSU SD GM SQ | Not applicable |
| 911401531141 | SP550P LED40S 865 L120 PSD SD GM SQ | 1% |
| 911401531241 | SP551P LED45S 840 L120 PSU SI GM SQ | Not applicable |
| 911401532841 | SM551C LED40S 840 L120 PSD SD GM SQ | 1% |
| 911401532941 | SM550C LED40S 840 L120 PSD SD GM SQ | 1% |

Controls and Dimming

| Order Code | Full Product Name | Dimmable | Order Code | Full Product Name | Dimmable |
|--------------|------------------------------------|----------|--------------|-------------------------------------|----------|
| 911401519241 | SP550P LED25S 840 L120 PSU SD | No | 911401523741 | RC550B LED40S 865 L120 PSU CD GM | No |
| 911401519941 | SP551P LED45S 840 L120 PSU SI | No | 911401523841 | SP550P LED20S 840 L60 PSU CD GM | No |
| 911401521241 | SP551P LED40S 840 L120 PSD SD | Yes | 911401524641 | SP550P LED40S 840 L120 PSU CD GM | No |
| 911401521841 | SP551P LED45S 840 L120 PSD SI | Yes | 911401524741 | SP550P LED40S 865 L120 PSU CD GM | No |
| 911401529041 | SP551P LED40S 840 L120 PSD SD SQ | Yes | 911401524841 | SP550P LED40S 840 L120 PSD CD GM | Yes |
| 911401529141 | SP551P LED45S 840 L120 PSU SI SQ | No | 911401524941 | SP550P LED40S 865 L120 PSD CD GM | Yes |
| 911401529241 | SP550P LED25S 840 L120 PSD SD SQ | Yes | 911401525441 | SM550C LED40S 840 L120 PSD CD GM | Yes |
| 911401529441 | SP551P LED45S 840 L120 PSD SI SQ | Yes | 911401522841 | SM551C LED40S 840 L120 PSD SD GM | Yes |
| 911401519541 | SP551P LED20S 840 L60 PSU SD | No | 911401524141 | SP550P LED40S 840 L120 PSU SD GM | No |
| 911401523941 | SP551P LED20S 840 L60 PSU SD GM | No | 911401524241 | SP550P LED40S 865 L120 PSU SD GM | No |
| 911401528341 | SP551P LED20S 840 L60 PSU SD SQ | No | 911401524341 | SP550P LED40S 840 L120 PSD SD GM | Yes |
| 911401530141 | SP550P LED20S 840 L60 PSU SD GM SQ | No | 911401524441 | SP550P LED40S 865 L120 PSD SD GM | Yes |
| 911401530341 | SP551P LED20S 840 L60 PSU SD GM SQ | No | 911401524541 | SP551P LED40S 840 L120 PSD SD GM | Yes |
| 911401533041 | SP550P LED20S 840 L60 PSU SD GM | No | 911401525041 | SP550P LED40S 840 L150 PSU SD GM | No |
| 911401519641 | SP550P LED25S 840 L120 PSU CD | No | 911401525141 | SP550P LED40S 840 L150 PSD SD GM | Yes |
| 911401519741 | SP550P LED12S 840 L60 PSU CD | No | 911401525241 | SP551P LED45S 840 L120 PSU SI GM | No |
| 911401520041 | SP550P LED28S 840 L120 PSU CI | No | 911401525341 | SP551P LED45S 840 L120 PSD SI GM | Yes |
| 911401520541 | SM550C LED25S 840 L120 PSU CD | No | 911401525541 | SM550C LED40S 840 L120 PSD SD GM | Yes |
| 911401520641 | SM550C LED12S 840 L60 PSU CD | No | 911401530241 | SP550P LED40S 840 L120 PSU SD GM SQ | No |
| 911401521541 | SP550P LED25S 840 L120 PSD CD | Yes | 911401530541 | SP550P LED40S 840 L120 PSD SD GM SQ | Yes |
| 911401521941 | SP550P LED28S 840 L120 PSD CI | Yes | 911401530641 | SP550P LED40S 865 L120 PSU SD GM SQ | No |
| 911401522441 | SM550C LED25S 840 L120 PSD CD | Yes | 911401530741 | SP550P LED40S 840 L150 PSD SD GM SQ | Yes |
| 911401522641 | SM550C LED20S 840 L60 PSU CD GM | No | 911401530841 | SP551P LED45S 840 L120 PSD SI GM SQ | Yes |
| 911401523641 | RC550B LED40S 840 L120 PSU CD GM | No | 911401530941 | SP551P LED40S 840 L120 PSD SD GM SQ | Yes |

| Order Code | Full Product Name | Dimmable |
|--------------|-------------------------------------|----------|
| 911401531041 | SP550P LED40S 840 L150 PSU SD GM SQ | No |
| 911401531141 | SP550P LED40S 865 L120 PSD SD GM SQ | Yes |
| 911401531241 | SP551P LED45S 840 L120 PSU SI GM SQ | No |

| Order Code | Full Product Name | Dimmable |
|--------------|-------------------------------------|----------|
| 911401532841 | SM551C LED40S 840 L120 PSD SD GM SQ | Yes |
| 911401532941 | SM550C LED40S 840 L120 PSD SD GM SQ | Yes |

General Information

| Order Code | Full Product Name | Optical cover/lens type |
|--------------|------------------------------------|-------------------------|
| 911401519241 | SP550P LED25S 840 L120 PSU SD | O |
| 911401519941 | SP551P LED45S 840 L120 PSU SI | LIN-PC |
| 911401521241 | SP551P LED40S 840 L120 PSD SD | LIN-PC |
| 911401521841 | SP551P LED45S 840 L120 PSD SI | LIN-PC |
| 911401529041 | SP551P LED40S 840 L120 PSD SD SQ | LIN-PC |
| 911401529141 | SP551P LED45S 840 L120 PSU SI SQ | LIN-PC |
| 911401529241 | SP550P LED25S 840 L120 PSD SD SQ | O |
| 911401529441 | SP551P LED45S 840 L120 PSD SI SQ | LIN-PC |
| 911401519541 | SP551P LED20S 840 L60 PSU SD | LIN-PC |
| 911401523941 | SP551P LED20S 840 L60 PSU SD GM | LIN-PC |
| 911401528341 | SP551P LED20S 840 L60 PSU SD SQ | LIN-PC |
| 911401530141 | SP550P LED20S 840 L60 PSU SD GM SQ | O |
| 911401530341 | SP551P LED20S 840 L60 PSU SD GM SQ | LIN-PC |
| 911401533041 | SP550P LED20S 840 L60 PSU SD GM | O |
| 911401519641 | SP550P LED25S 840 L120 PSU CD | O |
| 911401519741 | SP550P LED12S 840 L60 PSU CD | O |
| 911401520041 | SP550P LED28S 840 L120 PSU CI | O |
| 911401520541 | SM550C LED25S 840 L120 PSU CD | O |
| 911401520641 | SM550C LED12S 840 L60 PSU CD | O |
| 911401521541 | SP550P LED25S 840 L120 PSD CD | O |
| 911401521941 | SP550P LED28S 840 L120 PSD CI | O |
| 911401522441 | SM550C LED25S 840 L120 PSD CD | O |
| 911401522641 | SM550C LED20S 840 L60 PSU CD GM | O |
| 911401523641 | RC550B LED40S 840 L120 PSU CD GM | O |
| 911401523741 | RC550B LED40S 865 L120 PSU CD GM | O |
| 911401523841 | SP550P LED20S 840 L60 PSU CD GM | O |
| 911401524641 | SP550P LED40S 840 L120 PSU CD GM | O |

| Order Code | Full Product Name | Optical cover/lens type |
|--------------|-------------------------------------|-------------------------|
| 911401524741 | SP550P LED40S 865 L120 PSU CD GM | O |
| 911401524841 | SP550P LED40S 840 L120 PSD CD GM | O |
| 911401524941 | SP550P LED40S 865 L120 PSD CD GM | O |
| 911401525441 | SM550C LED40S 840 L120 PSD CD GM | O |
| 911401522841 | SM551C LED40S 840 L120 PSD SD GM | LIN-PC |
| 911401524141 | SP550P LED40S 840 L120 PSU SD GM | O |
| 911401524241 | SP550P LED40S 865 L120 PSU SD GM | O |
| 911401524341 | SP550P LED40S 840 L120 PSD SD GM | O |
| 911401524441 | SP550P LED40S 865 L120 PSD SD GM | O |
| 911401524541 | SP551P LED40S 840 L120 PSD SD GM | LIN-PC |
| 911401525041 | SP550P LED40S 840 L150 PSU SD GM | O |
| 911401525141 | SP550P LED40S 840 L150 PSD SD GM | O |
| 911401525241 | SP551P LED45S 840 L120 PSU SI GM | LIN-PC |
| 911401525341 | SP551P LED45S 840 L120 PSD SI GM | LIN-PC |
| 911401525541 | SM550C LED40S 840 L120 PSD SD GM | O |
| 911401530241 | SP550P LED40S 840 L120 PSU SD GM SQ | O |
| 911401530541 | SP550P LED40S 840 L120 PSD SD GM SQ | O |
| 911401530641 | SP550P LED40S 865 L120 PSU SD GM SQ | O |
| 911401530741 | SP550P LED40S 840 L150 PSD SD GM SQ | O |
| 911401530841 | SP551P LED45S 840 L120 PSD SI GM SQ | LIN-PC |
| 911401530941 | SP551P LED40S 840 L120 PSD SD GM SQ | LIN-PC |
| 911401531041 | SP550P LED40S 840 L150 PSU SD GM SQ | O |
| 911401531141 | SP550P LED40S 865 L120 PSD SD GM SQ | O |
| 911401531241 | SP551P LED45S 840 L120 PSU SI GM SQ | LIN-PC |
| 911401532841 | SM551C LED40S 840 L120 PSD SD GM SQ | LIN-PC |
| 911401532941 | SM550C LED40S 840 L120 PSD SD GM SQ | O |

Initial Performance (IEC Compliant) (1/2)

| Order Code | Full Product Name | Initial chromaticity | Init. Corr. Colour Temperature | Initial LED luminaire efficacy | Initial luminous flux |
|--------------|-------------------------------|----------------------|--------------------------------|--------------------------------|-----------------------|
| 911401519241 | SP550P LED25S 840 L120 PSU SD | (0.38, 0.38) | 4000 K | 100 lm/W | 2500 lm |
| 911401519941 | SP551P LED45S 840 L120 PSU SI | (0.38, 0.38) | 4000 K | 125 lm/W | 4500 lm |
| 911401521241 | SP551P LED40S 840 L120 PSD SD | (0.38, 0.38) | 4000 K | 117.65 lm/W | 4000 lm |

| Order Code | Full Product Name | Initial chromaticity | Init. Corr. Colour Temperature | Initial LED luminaire efficacy | Initial luminous flux |
|--------------|----------------------------------|----------------------|--------------------------------|--------------------------------|-----------------------|
| 911401521841 | SP551P LED45S 840 L120 PSD SI | (0.38, 0.38) | 4000 K | 125 lm/W | 4500 lm |
| 911401529041 | SP551P LED40S 840 L120 PSD SD SQ | (0.38, 0.38) | 4000 K | 117.65 lm/W | 4000 lm |
| 911401529141 | SP551P LED45S 840 L120 PSU SI | (0.38, 0.38) | 4000 K | 125 lm/W | 4500 lm |

| Order Code | Full Product Name | Initial chromaticity | Init. Corr. Colour Temperature | Initial LED luminaire efficacy | Initial luminous flux |
|--------------|---|---|--------------------------------|--------------------------------|-----------------------|
| 911401529241 | SP550P LED25S 840 L120 PSD SD SQ | (0.38, 0.38) SDCM< 3 | 4000 K | 100 lm/W | 2500 lm |
| 911401529441 | SP551P LED45S 840 L120 PSD SI SQ | (0.38, 0.38) SDCM< 3 (uplight< 4) | 4000 K | 125 lm/W | 4500 lm |
| 911401519541 | SP551P LED20S 840 L60 PSU SD | (0.38, 0.38) SDCM< 3 | 4000 K | 111.11 lm/W | 2000 lm |
| 911401523941 | SP551P LED20S 840 L60 PSU SD GM | (0.38, 0.38) SDCM< 3 | 4000 K | 111.11 lm/W | 2000 lm |
| 911401528341 | SP551P LED20S 840 L60 PSU SD SQ | (0.38, 0.38) SDCM< 3 | 4000 K | 111.11 lm/W | 2000 lm |
| 911401530141 | SP550P LED20S 840 L60 PSU SD GM SQ | (0.38, 0.38) SDCM< 3 | 4000 K | 90.91 lm/W | 2000 lm |
| 911401530341 | SP551P LED20S 840 L60 PSU SD GM SQ | (0.38, 0.38) SDCM< 3 | 4000 K | 111.11 lm/W | 2000 lm |
| 911401533041 | SP550P LED20S 840 L60 PSU SD GM | (0.38, 0.38) SDCM< 3 | 4000 K | 90.91 lm/W | 2000 lm |
| 911401519641 | SP550P LED25S 840 L120 PSU CD | (0.38, 0.38) SDCM< 3 | 4000 K | 100 lm/W | 2500 lm |
| 911401519741 | SP550P LED12S 840 L60 PSU CD | (0.38, 0.38) SDCM< 3 | 4000 K | 89.29 lm/W | 1250 lm |
| 911401520041 | SP550P LED28S 840 L120 PSU CI | (0.38, 0.38) SDCM< 3 (uplight< 4) | 4000 K | 153.85 lm/W | 4000 lm |
| 911401520541 | SM550C LED25S 840 L120 PSU CD | (0.38, 0.38) SDCM< 3 | 4000 K | 100 lm/W | 2500 lm |
| 911401520641 | SM550C LED12S 840 L60 PSU CD | (0.38, 0.38) SDCM< 3 | 4000 K | 89.29 lm/W | 1250 lm |
| 911401521541 | SP550P LED25S 840 L120 PSD CD | (0.38, 0.38) SDCM< 3 | 4000 K | 100 lm/W | 2500 lm |

| Order Code | Full Product Name | Initial chromaticity | Init. Corr. Colour Temperature | Initial LED luminaire efficacy | Initial luminous flux |
|--------------|---|---|--------------------------------|--------------------------------|-----------------------|
| 911401521941 | SP550P LED28S 840 L120 PSD CI | (0.38, 0.38) SDCM< 3 (uplight< 4) | 4000 K | 107.69 lm/W | 2800 lm |
| 911401522441 | SM550C LED25S 840 L120 PSD CD | (0.38, 0.38) SDCM< 3 | 4000 K | 100 lm/W | 2500 lm |
| 911401522641 | SM550C LED20S 840 L60 PSU CD GM | (0.38, 0.38) SDCM< 3 | 4000 K | 90.91 lm/W | 2000 lm |
| 911401523641 | RC550B LED40S 840 L120 PSU CD GM | (0.38, 0.38) SDCM< 3 | 4000 K | 97.56 lm/W | 4000 lm |
| 911401523741 | RC550B LED40S 865 L120 PSU CD GM | (0.31, 0.33) SDCM< 3 | 6500 K | 97.56 lm/W | 4000 lm |
| 911401523841 | SP550P LED20S 840 L60 PSU CD GM | (0.38, 0.38) SDCM< 3 | 4000 K | 90.91 lm/W | 2000 lm |
| 911401524641 | SP550P LED40S 840 L120 PSU CD GM | (0.38, 0.38) SDCM< 3 | 4000 K | 97.56 lm/W | 4000 lm |
| 911401524741 | SP550P LED40S 865 L120 PSU CD GM | (0.31, 0.33) SDCM< 3 | 6500 K | 97.56 lm/W | 4000 lm |
| 911401524841 | SP550P LED40S 840 L120 PSD CD GM | (0.38, 0.38) SDCM< 3 | 4000 K | 97.56 lm/W | 4000 lm |
| 911401524941 | SP550P LED40S 865 L120 PSD CD GM | (0.31, 0.33) SDCM< 3 | 6500 K | 97.56 lm/W | 4000 lm |
| 911401525441 | SM550C LED40S 840 L120 PSD CD GM | (0.38, 0.38) SDCM< 3 | 4000 K | 97.56 lm/W | 4000 lm |
| 911401522841 | SM551C LED40S 840 L120 PSD SD GM | (0.38, 0.38) SDCM< 3 | 4000 K | 117.65 lm/W | 4000 lm |
| 911401524141 | SP550P LED40S 840 L120 PSU SD GM | (0.38, 0.38) SDCM< 3 | 4000 K | 97.56 lm/W | 4000 lm |

| Order Code | Full Product Name | Initial chromaticity | Init. Corr. Colour Temperature | Initial LED luminaire efficacy | Initial luminous flux |
|--------------|--|---|--------------------------------|--------------------------------|-----------------------|
| 911401524241 | SP550P LED40S 865 L120 PSU SD GM | (0.31, 0.33) SDCM< 3 | 6500 K | 97.56 lm/W | 4000 lm |
| 911401524341 | SP550P LED40S 840 L120 PSD SD GM | (0.38, 0.38) SDCM< 3 | 4000 K | 97.56 lm/W | 4000 lm |
| 911401524441 | SP550P LED40S 865 L120 PSD SD GM | (0.31, 0.33) SDCM< 3 | 6500 K | 97.56 lm/W | 4000 lm |
| 911401524541 | SP551P LED40S 840 L120 PSD SD GM | (0.38, 0.38) SDCM< 3 | 4000 K | 117.65 lm/W | 4000 lm |
| 911401525041 | SP550P LED40S 840 L150 PSU SD GM | (0.38, 0.38) SDCM< 3 | 4000 K | 100 lm/W | 4000 lm |
| 911401525141 | SP550P LED40S 840 L150 PSD SD GM | (0.38, 0.38) SDCM< 3 | 4000 K | 100 lm/W | 4000 lm |
| 911401525241 | SP551P LED45S 840 L120 PSU SI GM | (0.38, 0.38) SDCM< 3 (uplight< 4) | 4000 K | 125 lm/W | 4500 lm |
| 911401525341 | SP551P LED45S 840 L120 PSD SI GM | (0.38, 0.38) SDCM< 3 (uplight< 4) | 4000 K | 125 lm/W | 4500 lm |
| 911401525541 | SM550C LED40S 840 L120 PSD SD GM | (0.38, 0.38) SDCM< 3 | 4000 K | 97.56 lm/W | 4000 lm |
| 911401530241 | SP550P LED40S 840 L120 PSU SD GM SQ | (0.38, 0.38) SDCM< 3 | 4000 K | 97.56 lm/W | 4000 lm |

| Order Code | Full Product Name | Initial chromaticity | Init. Corr. Colour Temperature | Initial LED luminaire efficacy | Initial luminous flux |
|--------------|--|---|--------------------------------|--------------------------------|-----------------------|
| 911401530541 | SP550P LED40S 840 L120 PSD SD GM SQ | (0.38, 0.38) SDCM< 3 | 4000 K | 97.56 lm/W | 4000 lm |
| 911401530641 | SP550P LED40S 865 L120 PSU SD GM SQ | (0.31, 0.33) SDCM< 3 | 6500 K | 97.56 lm/W | 4000 lm |
| 911401530741 | SP550P LED40S 840 L150 PSD SD GM SQ | (0.38, 0.38) SDCM< 3 | 4000 K | 100 lm/W | 4000 lm |
| 911401530841 | SP551P LED45S 840 L120 PSD SI GM SQ | (0.38, 0.38) SDCM< 3 (uplight< 4) | 4000 K | 125 lm/W | 4500 lm |
| 911401530941 | SP551P LED40S 840 L120 PSD SD GM SQ | (0.38, 0.38) SDCM< 3 | 4000 K | 117.65 lm/W | 4000 lm |
| 911401531041 | SP550P LED40S 840 L150 PSU SD GM SQ | (0.38, 0.38) SDCM< 3 | 4000 K | 100 lm/W | 4000 lm |
| 911401531141 | SP550P LED40S 865 L120 PSD SD GM SQ | (0.31, 0.33) SDCM< 3 | 6500 K | 97.56 lm/W | 4000 lm |
| 911401531241 | SP551P LED45S 840 L120 PSU SI GM SQ | (0.38, 0.38) SDCM< 3 (uplight< 4) | 4000 K | 125 lm/W | 4500 lm |
| 911401532841 | SM551C LED40S 840 L120 PSD SD GM SQ | (0.38, 0.38) SDCM< 3 | 4000 K | 117.65 lm/W | 4000 lm |
| 911401532941 | SM550C LED40S 840 L120 PSD SD GM SQ | (0.38, 0.38) SDCM< 3 | 4000 K | 97.56 lm/W | 4000 lm |

Initial Performance (IEC Compliant) (2/2)

| Order Code | Full Product Name | Initial input power |
|--------------|----------------------------------|---------------------|
| 911401519241 | SP550P LED25S 840 L120 PSU SD | 25 W |
| 911401519941 | SP551P LED45S 840 L120 PSU SI | 36 W |
| 911401521241 | SP551P LED40S 840 L120 PSD SD | 34 W |
| 911401521841 | SP551P LED45S 840 L120 PSD SI | 36 W |
| 911401529041 | SP551P LED40S 840 L120 PSD SD SQ | 34 W |
| 911401529141 | SP551P LED45S 840 L120 PSU SI SQ | 36 W |

| Order Code | Full Product Name | Initial input power |
|--------------|------------------------------------|---------------------|
| 911401529241 | SP550P LED25S 840 L120 PSD SD SQ | 25 W |
| 911401529441 | SP551P LED45S 840 L120 PSD SI SQ | 36 W |
| 911401519541 | SP551P LED20S 840 L60 PSU SD | 18 W |
| 911401523941 | SP551P LED20S 840 L60 PSU SD GM | 18 W |
| 911401528341 | SP551P LED20S 840 L60 PSU SD SQ | 18 W |
| 911401530141 | SP550P LED20S 840 L60 PSU SD GM SQ | 22 W |

| Order Code | Full Product Name | Initial input power |
|--------------|------------------------------------|---------------------|
| 911401530341 | SP551P LED20S 840 L60 PSU SD GM SQ | 18 W |
| 911401533041 | SP550P LED20S 840 L60 PSU SD GM | 22 W |
| 911401519641 | SP550P LED25S 840 L120 PSU CD | 25 W |
| 911401519741 | SP550P LED12S 840 L60 PSU CD | 14 W |
| 911401520041 | SP550P LED28S 840 L120 PSU CI | 26 W |
| 911401520541 | SM550C LED25S 840 L120 PSU CD | 25 W |
| 911401520641 | SM550C LED12S 840 L60 PSU CD | 14 W |
| 911401521541 | SP550P LED25S 840 L120 PSD CD | 25 W |
| 911401521941 | SP550P LED28S 840 L120 PSD CI | 26 W |
| 911401522441 | SM550C LED25S 840 L120 PSD CD | 25 W |
| 911401522641 | SM550C LED20S 840 L60 PSU CD GM | 22 W |
| 911401523641 | RC550B LED40S 840 L120 PSU CD GM | 41 W |
| 911401523741 | RC550B LED40S 865 L120 PSU CD GM | 41 W |
| 911401523841 | SP550P LED20S 840 L60 PSU CD GM | 22 W |
| 911401524641 | SP550P LED40S 840 L120 PSU CD GM | 41 W |
| 911401524741 | SP550P LED40S 865 L120 PSU CD GM | 41 W |
| 911401524841 | SP550P LED40S 840 L120 PSD CD GM | 41 W |
| 911401524941 | SP550P LED40S 865 L120 PSD CD GM | 41 W |
| 911401525441 | SM550C LED40S 840 L120 PSD CD GM | 41 W |
| 911401522841 | SM551C LED40S 840 L120 PSD SD GM | 34 W |
| 911401524141 | SP550P LED40S 840 L120 PSU SD GM | 41 W |

| Order Code | Full Product Name | Initial input power |
|--------------|-------------------------------------|---------------------|
| 911401524241 | SP550P LED40S 865 L120 PSU SD GM | 41 W |
| 911401524341 | SP550P LED40S 840 L120 PSD SD GM | 41 W |
| 911401524441 | SP550P LED40S 865 L120 PSD SD GM | 41 W |
| 911401524541 | SP551P LED40S 840 L120 PSD SD GM | 34 W |
| 911401525041 | SP550P LED40S 840 L150 PSU SD GM | 40 W |
| 911401525141 | SP550P LED40S 840 L150 PSD SD GM | 40 W |
| 911401525241 | SP551P LED45S 840 L120 PSU SI GM | 36 W |
| 911401525341 | SP551P LED45S 840 L120 PSD SI GM | 36 W |
| 911401525541 | SM550C LED40S 840 L120 PSD SD GM | 41 W |
| 911401530241 | SP550P LED40S 840 L120 PSU SD GM SQ | 41 W |
| 911401530541 | SP550P LED40S 840 L120 PSD SD GM SQ | 41 W |
| 911401530641 | SP550P LED40S 865 L120 PSU SD GM SQ | 41 W |
| 911401530741 | SP550P LED40S 840 L150 PSD SD GM SQ | 40 W |
| 911401530841 | SP551P LED45S 840 L120 PSD SI GM SQ | 36 W |
| 911401530941 | SP551P LED40S 840 L120 PSD SD GM SQ | 34 W |
| 911401531041 | SP550P LED40S 840 L150 PSU SD GM SQ | 40 W |
| 911401531141 | SP550P LED40S 865 L120 PSD SD GM SQ | 41 W |
| 911401531241 | SP551P LED45S 840 L120 PSU SI GM SQ | 36 W |
| 911401532841 | SM551C LED40S 840 L120 PSD SD GM SQ | 34 W |
| 911401532941 | SM550C LED40S 840 L120 PSD SD GM SQ | 41 W |

