



# Exquisite, stylish yet classic and versatile urban lighting

## UNIUrban

UNIUrban is ideal for the urban lighting across the pavements, parks, gardens, residential areas and shopping centre areas. Its exquisite, stylish yet classic design is not only suitable for modern cities but also for historical architecture.

### Benefits

- Exquisite, stylish yet classic design to beautify your space
- State-of-the-art LEDs and drivers ensure better lighting performance and reliability
- Comfort and safety for urban areas
- Future-orientated

### Features

- Five even more look-and-feels
- Three options of wattage packages – 33 W/65 W/100 W
- 3,000 K/4,000 K CCT, 100+lm/w for energy-saving
- Three options for installation – Side-entry, Post-top and Suspension
- Three options for lighting distribution – Symmetrical/Asymmetrical/Omni
- IP65/IK08, professional design to ensure reliability
- 50,000-hr lifetime with three-year warranty
- Various mounting installations

### Application

- Pavements
- Parks, gardens
- Residential areas
- Shopping centre spaces

## Versions



## Accessories



Ordercode 911401727812,  
911401727842



Ordercode 911401727822,  
911401727832

### Approval and Application

Mech. impact protection code IK08

### Controls and Dimming

Dimmable Yes

### General Information

CE mark CE mark

Light source colour 740 neutral white

Optical cover/lens type AC-MLO

Driver included Yes

Flammability mark F

### Initial Performance (IEC Compliant)

Init. Corr. Colour Temperature 4000 K

Init. Colour Rendering Index >70

### Mechanical and Housing

Colour Aluminium and Grey

### Initial Performance (IEC Compliant)

Order Code	Full Product Name	Initial luminous flux
911401767062	BDP461 LED100 NW 230V PSC TS 7P	10000 lm
911401767072	BGP461 LED120 NW 230V PSC TA 7P Spg77	12000 lm

