



MASTER MHN-SA

MASTER MHN-SA 1800W/956 (P)SFC 230V

Compact quartz metal halide lamps with double-pinch

Warnings and Safety

- Use only in totally enclosed luminaire, even during testing (IEC61167, IEC 62035, IEC60598)
- The luminaire must be able to contain hot lamp parts if the lamp ruptures
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

Product data


General Information		Colour Rendering Index,horiz (Nom)	
Cap base	(P)SFC [(P)SFC]		86
Burning Position	P15 [Parallel +/-15D or Horizontal(HOR)]	Operating and Electrical	
Life to 5% failures (nom.)	1300 h	Lamp supply voltage	230 V [230]
Life to 10% failures (nom.)	2000 h	Power (Rated) (Nom)	1800.0 W
Life to 20% failures (nom.)	3200 h	Lamp current run-up (max.)	25 A
Life to 50% failures (nom.)	6100 h	Lamp current (EM) (nom.)	17.3 A
Light Technical		Ignition supply voltage (min.)	198 V
Colour Code	956 [CCT of 5,600 K]	Voltage (Max)	130 V
Lamp Luminous Flux (Nom)	155000 lm	Voltage (Min)	110 V
Colour Designation	Daylight	Voltage (Nom)	120 V
Lumen maintenance 1,000 hours (nom.)	95 %	Controls and Dimming	
Lumen maintenance 2,000 hours (nom.)	91 %	Dimmable	No
Lumen maintenance 5,000 hours (nom.)	76 %	Mechanical and Housing	
Chromaticity coordinate X (nom.)	330	Lamp Finish	Clear
Chromaticity coordinate Y (nom.)	339	Cap-base information	20-6
Colour Temperature, horizontal (Nom)	5600 K		
Lamp Luminous Efficacy EM (Nom)	86 lm/W		

MASTER MHN-SA

Bulb shape	TD40 [TD 40mm]
Approval and Application	
Mercury (Hg) content (nom.)	92 mg
Energy consumption kWh/1,000 hours	1980 kWh
Luminaire Design Requirements	
Bulb temperature (max.)	980 °C
Pinch temperature (max.)	300 °C
Product Data	
Full product code	871150020075400

Order product name	MASTER MHN-SA 1800W/956 (P)SFC 230V
EAN/UPC – product	8718291548263
Order code	928078415130
SAP numerator – quantity per pack	1
Numerator – packs per outer box	1
SAP material	928078415130
SAP net weight (piece)	0.219 kg
ILCOS code	MN-1800-H-PSFc20=6-/H


Dimensional drawing



Product	D (max)	O	C (max)
MASTER MHN-SA 1800W/956 (P)SFC 230V	41 mm	25 mm	364 mm

MHN-SA 1800W/956 (P)SFC/20-6 230V



Photometric data



LDPO_MHN-SA_1800W_230V-Spectral power distribution Colour

MASTER MHN-SA

Lifetime



LDLE_MHN-SA_0004-Life expectancy diagram

LDLM_MHN-SA_0004-Lumen maintenance diagram

