



Essential LEDtube

LEDtube 600mm 8W 740 T8 AP I G

Essential LEDtube is an affordable LED tube that is suitable for replacing T8 fluorescent lamps. The product provides a natural lighting effect for use in general lighting applications, as well as instant energy savings – an environmentally friendly solution.

Product data

General Information		Voltage (Nom)	
Cap base	G13 [Medium Bi-Pin Fluorescent]	220-240 V	
EU RoHS compliant	Yes	Temperature	
Nominal lifetime (nom.)	15000 h	T-ambient (max.)	45 °C
Switching cycle	50,000X	T-ambient (min.)	-20 °C
Light Technical		T storage (max.)	65 °C
Colour Code	740 [CCT of 4,000 K]	T storage (min.)	-40 °C
Technical Beam Angle (Nom)	240 °	T-Case maximum (nom.)	60 °C
Lamp Luminous Flux 25°C EL (Nom)	800 lm	Controls and Dimming	
Colour Designation	Cool White (CW)	Dimmable	No
Colour Temperature, horizontal (Nom)	4000 K	Mechanical and Housing	
Lamp Luminous Efficacy EM (Nom)	100.00 lm/W	Product length	600 mm
Colour consistency	<7	Bulb shape	Tube, double-ended
Colour Rendering Index, horiz (Nom)	73	Approval and Application	
LLMF at end of nominal lifetime (nom.)	70 %	Energy-saving product	Yes
Operating and Electrical		Suitable for accent lighting	No
Input frequency	50 to 60 Hz	Approval marks	RoHS compliance KEMA Keur certificate
Power (Rated) (Nom)	8 W	Energy consumption kWh/1,000 hours	8 kWh
Starting time (nom.)	0.5 s		
Warm-up time to 60% light (nom.)	0.5 s		
Power factor (nom.)	0.5		


Essential LEDtube

Product Data

Full product code	871869664603800
Order product name	LEDtube 600mm 8W 740 T8 AP I G
EAN/UPC – product	8718696646038
Order code	929001184738
SAP numerator – quantity per pack	1

Numerator – packs per outer box	20
SAP material	929001184738
SAP net weight (piece)	0.090 kg


Dimensional drawing




TLED 600mm 2ft T8 8W-18W 4000K G13 ND

Product	D1	D2	A1	A2	A3	C	D
LEDtube 600mm	25.68	28	588.5	595.5	602.5	602.5	27.8
8W 740 T8 AP I G	mm	mm	mm	mm	mm	mm	mm

Photometric data




General Uniform Lighting
1. TLED 600mm 2ft T8 8W-18W 4000K G13 ND



LEDtube 600mm 8W 740 T8 CN I G



LEDtube 600mm 8W 765 T8 CN I G



LEDtube 600mm 8W G13 T8 740 800lm AP C G



Essential LEDtube

Lifetime




LEDtube 16W G13 740 T8 AP I G

LEDtube 16W G13 740 T8 AP I G



LEDtube 16W G13 740 T8 AP I G

LEDtube 16W G13 740 T8 AP I G



LEDtube 16W G13 740 T8 AP I G

Essential LEDtube

