



Solar Panel Sub System

60W 17V Panel subsystem Vmpp 17.9V

A Range of Solar panels from 20 W to 325 W specially designed for Philips Solar Street lighting, Flood lighting and Solar Indoor Systems

Product data

| General Information | |
|---------------------|---------|
| CE mark | CE mark |
| Warranty period | 3 years |

| Operating and Electrical | |
|--------------------------|--|
| Panel type | Poly crystalline |
| Panel voltage | 17 V |
| Panel peak wattage | 60 W |
| Cable connection kit | Included |
| Cable | Cable 1.0 m 4.0 sqmm with Molex Connectors |

| Temperature | |
|---------------------------|---------------|
| Ambient temperature range | -40 to +85 °C |

| Mechanical and Housing | |
|------------------------|--------|
| Overall length | 639 mm |
| Overall width | 666 mm |

| | |
|-------------------------------------|-------------------|
| Overall height | 35 mm |
| Dimensions (Height x Width x Depth) | 35 x 666 x 639 mm |

| Approval and Application | |
|--------------------------|---|
| Ingress protection code | IP67 [Dust penetration-protected, watertight] |

| Product Data | |
|---------------------------------|------------------------------------|
| Full product code | 911401803102 |
| Order product name | 60W 17V Panel subsystem Vmpp 17.9V |
| Order code | 911401803102 |
| Numerator - Quantity Per Pack | 1 |
| Numerator - Packs per outer box | 30 |
| Material Nr. (12NC) | 911401803102 |
| Full product name | 60W 17V Panel subsystem Vmpp 17.9V |

Solar Panel Sub System

Dimensional drawing

