

# Classic filament LEDbulbs

## LEDClA 7.5-60W A60 E27 2000K GOLD APR

Featuring a classic heritage design, Classic filament LED bulbs combine the familiar shapes of classic incandescent bulbs with the benefits of the long-lasting LED technology. They deliver beautiful, decorative warm-white light while saving around 90% on energy costs compared with traditional light bulbs.

### Product data

| General Information                    |                       |
|--|-----------------------|
| Cap base                               | E27 [ E27]            |
| EU RoHS compliant                      | Yes                   |
| Nominal lifetime (nom.)                | 15000 h               |
| Switching cycle                        | 20,000X               |
| Technical type                         | 7.5-60W               |
| Light Technical                        |                       |
| Colour Code                            | 820 [ CCT of 2,000 K] |
| Lamp Luminous Flux 25°C EL (Nom)       | 600 lm                |
| Colour Designation                     | Flame                 |
| Colour Temperature, horizontal (Nom)   | 2000 K                |
| Lamp Luminous Efficacy EM (Nom)        | 80.00 lm/W            |
| Colour consistency                     | <6                    |
| Colour Rendering Index,horiz (Nom)     | 80                    |
| LLMF at end of nominal lifetime (nom.) | 70 %                  |
| Operating and Electrical               |                       |
| Input frequency                        | 50 to 60 Hz           |
| Power (Rated) (Nom)                    | 7.5 W                 |

| Lamp current (nom.)              | 42 mA      |
|----------------------------------|------------|
| Wattage equivalent               | 60 W       |
| Starting time (nom.)             | 0.5 s      |
| Warm-up time to 60% light (nom.) | 0.5 s      |
| Power factor (nom.)              | 0.7        |
| Voltage (Nom)                    | 220-240 V  |
| Temperature                      |            |
| T-Case maximum (nom.)            | 70 °C      |
| Controls and Dimming             |            |
| Dimmable                         | Yes        |
| Mechanical and Housing           |            |
| Lamp Finish                      | Gold Clear |
| Approval and Application         |            |
| Energy efficiency label (EEL)    | A+         |
| Energy-saving product            | Yes        |
| Suitable for accent lighting     | No         |

# Classic filament LEDbulbs

|                                    |                                       |
|------------------------------------|---------------------------------------|
| Energy consumption kWh/1,000 hours | 8 kWh                                 |
| <b>Product Data</b>                |                                       |
| Full product code                  | 871869657483600                       |
| Order product name                 | LEDClA 7.5-60W A60 E27 2000K GOLD APR |
| EAN/UPC – product                  | 8718696574836                         |
| Order code                         | 929001228108                          |

|                                     |              |
|-------------------------------------|--------------|
| Numerator – quantity per pack       | 1            |
| SAP numerator – packs per outer box | 12           |
| Material no. (12 NC)                | 929001228108 |
| Net Weight (Piece)                  | 0.030 kg     |



## Dimensional drawing

D


| Product                               | D     | C      |
|---------------------------------------|-------|--------|
| LEDClA 7.5-60W A60 E27 2000K GOLD APR | 60 mm | 112 mm |

### filament 7W-60W 620lm NAD 2200K E27D

## Photometric data



### LED Lamps, Lightcolour /820 ST64 GOLD



### Classic LEDBulb D 7.5-48W A60 820 GOLD

### Classic LEDBulb D 7.5-48W A60 820 GOLD

## Classic filament LEDbulbs

